


IMPACT SOCKETS



1/2"

6 PT Impact Sockets - Inch



EDP#	SIZE	L mm	A mm	B mm	C mm
1-89-681	7/16"	38.0	18.2	23.3	8.0
1-89-682	1/2"	38.0	20.4	24.2	9.0
1-89-683	9/16"	38.0	22.4	24.2	10.0
1-89-684	5/8"	38.0	24.2	24.2	11.0
1-89-685	11/16"	38.0	27.7	27.7	12.0
1-89-686	3/4"	41.0	29.8	29.8	13.0
1-89-687	13/16"	41.0	31.8	31.8	14.0
1-89-688	7/8"	41.0	32.8	32.8	14.0
1-89-689	15/16"	41.0	35.8	35.8	14.0
1-89-690	1"	41.0	37.8	37.8	14.0

6 PT Impact Sockets - Metric





IMPA	EDP#	SIZE	L mm	A mm	B mm	C mm
	1-89-106	6	38.0	13.0	25.0	7.0
	1-89-107	7	38.0	14.0	25.0	7.0
	1-89-956	8	38.0	15.0	25.0	7.0
	1-89-109	9	38.0	16.0	25.0	7.0
590213	1-89-110	10	38.0	17.5	25.0	7.0
590214	1-89-111	11	38.0	18.5	25.0	8.0
590215	1-89-112	12	38.0	19.5	25.0	9.0
590216	1-89-113	13	38.0	20.5	25.0	10.0
590217	1-89-114	14	38.0	22.0	25.0	10.0
	1-89-115	15	38.0	23.5	30.0	11.0
	1-89-116	16	38.0	24.5	30.0	11.0
590218	1-89-117	17	38.0	26.0	30.0	12.0
	1-89-118	18	38.0	27.0	30.0	13.0
590219	1-89-119	19	38.0	28.0	30.0	13.0
	1-89-120	20	38.0	29.0	30.0	13.0
590220	1-89-121	21	38.0	30.0	30.0	14.0
590221	1-89-122	22	38.0	31.8	30.0	14.0
590222	1-89-123	23	41.0	33.8	30.0	14.0
590223	1-89-124	24	41.0	33.8	30.0	14.0
	1-89-125	25	41.0	35.8	30.0	14.0
590224	1-89-126	26	41.0	37.8	30.0	15.0
590225	1-89-127	27	41.0	37.8	30.0	16.0
	1-89-128	28	41.0	41.8	30.0	17.0
590226	1-89-129	29	41.0	41.8	30.0	17.0
590227	1-89-130	30	41.0	42.5	30.0	17.0
590228	1-89-132	32	41.0	44.5	30.0	17.0
	1-89-134	34	45.5	46.5	30.0	19.0

IMPACT SOCKETS ACCESSORIES



Extension - Metric

1/2"




EDP#	SIZE	L mm	A mm	B mm
1-89-239	50	50.0	24.8	16.3
1-89-240	125	125.0	24.8	16.3
1-89-241	250	252.0	24.8	16.3

Universal Joint



EDP#	L mm	A mm
1-89-242	63.0	28.7

Impact Adaptors



EDP#	SIZE	L mm	A mm
1-89-243	1/2"Fx3/4"M	50.0	30.0
1-89-244	1/2"Fx3/8"M	38.0	24.0


HAND TOOLS



HEXAGON HEAD DRIVERS

1/2"

Made of Chrome Molybdenum Steel



TH-412S
TH-412H

Stock No	Metric	D mm	L mm			Code
446004	4	25	60	75	140	000590
446005	5	25	60	75	140	000590
446006	6	25	60	80	140	000590
446007	7	25	60	85	140	000590
446008	8	25	60	85	140	000590
446009	9	25	68	100	140	000650
446010	10	25	68	110	140	000650
446012	12	25	68	125	140	000650
446014	14	28	78	160	120	000735
446016	16	28	78	180	120	000735
446017	17	28	78	190	120	000735
446019	19	28	78	215	120	000790
446021	21	28	78	240	120	000885

Stock No	in	D mm	L mm			Code
466005	5/32	25	60	75	140	000590
466006	3/16	25	60	75	140	000590
466007	7/32	25	60	80	140	000590
466008	1/4	25	60	80	140	000590
466010	5/16	25	60	85	140	000590
466012	3/8	25	68	110	140	000650
466014	7/16	25	68	120	140	000650
466016	1/2	25	68	130	140	000650
466018	9/16	28	78	160	120	000735
466020	5/8	28	78	180	120	000735
466022	11/16	28	78	190	120	000735
466024	3/4	28	78	215	120	000790
466026	13/16	28	78	240	120	000885

TH-412H & TH-412S Blow Case 12 Pieces

Contents	mm	Contents	in	
446004	4	466005	5/32	Hex. Head Driver
446005	5	466006	3/16	Hex. Head Driver
446006	6	466008	1/4	Hex. Head Driver
446008	8	466010	5/16	Hex. Head Driver
446010	10	466012	3/8	Hex. Head Driver
446012	12	466014	7/16	Hex. Head Driver
446014	14	466016	1/2	Hex. Head Driver
446017	17	466020	5/8	Hex. Head Driver
446019	19	466024	3/4	Hex. Head Driver
480032GS	75	480032GS	75mm	Extension Bars
480040	320	480040	320mm	Sliding T-Handle
480444R	250	480444R	250mm	Ratchet Handle

* Please order in accordance with the exact numbers in standard packages

TH-415H



Contents	
446004	4mm Hex. Head Driver
446005	5mm Hex. Head Driver
446006	6mm Hex. Head Driver
446008	8mm Hex. Head Driver
446010	10mm Hex. Head Driver
446012	12mm Hex. Head Driver
446014	14mm Hex. Head Driver
446017	17mm Hex. Head Driver
446019	19mm Hex. Head Driver
464110	5/16" Hex. Bit Holder
700008	Impact Driver
213060	1.0 x 6.0mm Slotted Bit
213080	1.6 x 8.0mm Slotted Bit
243002	No.2 Phillips Bit
243003	No.3 Phillips Bit

Metal Box


 = 3000g

 = 6 sets / 19 kgs / 0.65 CUFT

Code: 11815

HEXAGON HEAD DRIVERS

3/4"



Inches Sizes

Stock No	A in	D mm	L mm			Code
668824	3/4	44	88	680	30	002050
668826	13/16	44	88	690	30	002050
668828	7/8	44	88	700	30	002050
668830	15/16	44	88	720	30	002310
668832	1	44	88	740	30	002310
668834	1 1/16	44	88	750	30	002310
668836	1 1/8	44	88	760	30	002470
668838	1 3/16	44	88	770	30	002470
668840	1 1/4	44	88	800	30	002470



Metric Sizes

Stock No	A in	D mm	L mm			Code
648819	19	44	88	680	30	001940
648821	21	44	88	690	30	001940
648822	22	44	88	700	30	001940
648824	24	44	88	720	30	002070
648827	27	44	88	750	30	002070
648830	30	44	88	770	30	002200
648832	32	44	88	800	30	002200

DEEP IMPACT SOCKETS

1/2"

Made of Chrome Molybdenum Steel



Inch Sizes - 6 PT

Stock No.	A Size	D1 mm	D2 mm	L mm	g	PCS	Code
467810	5/16	14	23	78	120	140	000590
467812	3/8	16	23	78	120	140	000590
467814	7/16	18	23	78	120	140	000590
467816	1/2	20	23	78	120	140	000590
467818	9/16	22	23	78	130	140	000590
467819	19/32	23	23	78	130	140	000590
467820	5/8	24	24	78	140	140	000590
467822	11/16	26	26	78	150	120	000620
467824	3/4	28	28	78	180	120	000680
467825	25/32	29	29	78	190	120	000705
467826	13/16	30	30	78	200	120	000705
467828	7/8	32	30	45	220	60	000790
467830	15/16	37	30	78	260	60	000855
467832	1	36	30	78	300	60	000970
467834	1 1/16	38	30	78	340	60	001025
467836	1 1/8	40	30	78	390	50	001170
467838	1 3/16	42	30	78	430	50	001260
467840	1 1/4	44	30	78	500	50	001350



Metric Sizes - 6 PT

Stock No.	A Size	D1 mm	D2 mm	L mm	g	PCS	Code
447808	8	14	23	78	120	140	000590
447809	9	15	23	78	120	140	000590
447810	10	17	23	78	120	140	000590
447811	11	18	23	78	120	140	000590
447812	12	19	23	78	120	140	000590
447813	13	20	23	78	120	140	000590
447814	14	22	23	78	130	140	000590
447815	15	23	23	78	130	140	000590
447816	16	24	24	78	140	140	000590
447817	17	26	26	78	150	120	000620
447818	18	27	27	78	170	120	000650
447819	19	28	28	78	180	120	000680
447820	20	29	29	78	190	120	000705
447821	21	31	30	78	200	60	000705
447822	22	32	30	78	220	60	000790
447823	23	33	30	78	235	60	000855
447824	24	34	30	78	260	60	000855
447825	25	36	30	78	275	60	000970
447826	26	37	30	78	300	60	000970
447827	27	38	30	78	340	60	001025
447828	28	39	30	78	360	50	001170
447829	29	41	30	78	390	50	001170
447830	30	42	30	78	430	50	001260
447831	31	43	30	78	460	50	001350
447832	32	44	30	78	500	50	001350

* Please order in accordance with the exact numbers in standard packages

DEEP IMPACT SOCKET ACCESSORIES

Made of Chrome Molybdenum Steel

1/2"

Extension Bars



Stock No.	Length mm	g	PCS	Code
480032CM	75	170	140	000620
480036CM	125	230	60	000680
480050CM	250	440	50	001250

Adaptors



Stock No.	Female Sq. Dr.	Male Sq. Dr.	Length mm	g	PCS	Code
480033CM	1/2"	3/8"	38	70	200	000415
480066CM	1/2"	3/4"	42	110	200	000620

Bit Holder



Stock No.	Hex Shank	Length mm	g	PCS	Code
464808	1/4"	48	60	200	000525
464108	1/4"	41	55	200	000525
464810	5/16"	48	80	200	000565
464110	5/16"	41	62	200	000565

700008 Impact Drive



Stock No.	Hex Shank	Length mm	g	PCS	Code
700008	32 mm	138	670	12	002625

This bit holder is suitable for many different types and sizes of bits. This bit holder has many advantages:

- It can reduce costs
- It is lightweight and easy to carry
- It is breeze to change bits


HAND TOOLS

Intool

IMPACT SOCKETS

3/4"

Made of Chrome Molybdenum Steel




Inch Sizes - 6 PT

Stock No.	A Size	D1 mm	D2 mm	L mm	g	PCS	Code
665222	11/16	29	38	51	300	50	000855
665224	3/4	32	38	51	310	50	000855
665225	25/32	33	38	51	310	50	000855
665226	13/16	34	38	51	310	50	000855
665228	7/8	36	40	51	320	50	000855
665230	15/16	38	40	51	330	50	000855
665232	1	40	40	54	340	50	000855
665234	1 1/16	42	42	54	360	50	000855
665236	1 1/8	44	44	54	400	50	000910
665238	1 3/16	46	44	54	430	50	000970
665240	1 1/4	48	44	57	470	30	001025
665242	1 5/16	50	44	57	480	30	001115
665244	1 3/8	52	44	57	520	30	001175
665246	1 7/16	54	44	57	550	30	001260
665248	1 1/2	56	44	57	580	30	001315
665250	1 9/16	58	44	58	610	20	001645
665252	1 5/8	60	44	58	620	20	001645
665254	1 11/16	62	44	60	650	20	001910
665256	1 3/4	64	44	63	730	20	002100
665258	1 13/16	66	44	63	760	20	002300
665260	1 7/8	68	44	65	800	20	002435
665262	1 15/16	70	44	65	840	20	003150
665264	2	72	44	68	890	20	003150
665266	2 1/16	73	54	70	900	10	003940
665268	2 1/8	76	54	73	950	10	003940
665270	2 3/16	77	54	73	1100	10	003940
665272	2 1/4	80	54	73	1200	10	004620
665274	2 5/16	82	60	73	1400	10	005670
665276	2 3/8	83	60	80	1500	10	006195
665280	2 1/2	87	60	80	1650	10	006825
665284	2 5/8	92	60	85	1850	6	007350
665288	2 3/4	96	60	90	2000	6	007875

- High quality steel
- Professional quality
- Competitive quality
- Safe to operate
- Long reliable service
- The hardness measure & the torque conform to International standard

* Please order in accordance with the exact numbers in standard packages



Metric Sizes - 6 PT

IMPA	Stock No.	A Size	D1 mm	D2 mm	L mm	g	PCS	Code
590229	645217	17	29	38	51	300	50	000855
	645218	18	30	38	51	300	50	000855
590230	645219	19	32	38	51	310	50	000855
	645220	20	33	38	21	310	50	000855
590231	645221	21	34	38	51	310	50	000855
590232	645222	22	36	40	51	320	50	000855
590233	645223	23	37	40	51	330	50	000855
590234	645224	24	38	40	51	330	50	000855
	645225	25	40	40	54	340	50	000855
590235	645226	26	41	41	54	350	50	000855
590236	645227	27	42	42	54	360	50	000855
	645228	28	44	44	54	380	50	000910
590237	645229	29	45	44	54	400	50	000970
590238	645230	30	46	44	54	430	50	000970
	645231	31	47	44	54	450	30	001025
590239	645232	32	48	44	57	470	30	001025
	645233	33	50	44	57	480	30	001025
	645234	34	51	44	57	500	30	001115
590240	645235	35	52	44	57	520	30	001175
590241	645236	36	53	44	57	540	30	001260
590242	645238	38	56	44	57	580	30	001315
	645240	40	58	44	58	610	20	001645
590243	645241	41	60	44	58	620	20	001645
	645243	43	62	44	60	650	20	002100
	645245	45	65	44	63	470	20	002300
590244	645246	46	66	44	63	760	20	002300
	645248	48	68	44	65	800	20	002435
590245	645250	50	71	44	68	850	20	002435
	645252	52	73	54	70	900	10	003675
	645254	54	76	54	73	950	10	003940
	645255	55	77	54	73	110	10	003940
	645257	57	80	54	73	1200	10	004620
	645258	58	81	54	73	1300	10	005145
	645259	59	82	60	73	1400	10	005670
	645260	60	83	60	80	1500	10	006195
	645263	63	87	60	80	1650	10	006825
	645265	65	90	60	85	1800	6	007350
	645270	70	96	60	90	2000	6	007875

- For auto-car use
- For truck use
- For motorcycle use
- A necessary tool for repairing vehicle
- For use in other kind of setting

DEEP IMPACT SOCKETS

3/4"

Made of Chrome Molybdenum Steel



Metric Sizes - 6 PT

Stock No.	A Size	D1 mm	D2 mm	L mm	g	PCS	Code
649517	17	29	38	90	500	30	001640
649518	18	30	38	90	500	30	001640
649519	19	32	38	90	500	30	001640
649520	20	33	38	90	500	30	001640
649521	21	34	38	90	510	30	001640
649522	22	36	40	90	530	30	001640
649523	23	37	40	90	540	30	001640
649524	24	38	40	90	540	30	001640
649525	25	40	40	90	570	30	001640
649526	26	41	41	90	620	30	001640
649527	27	42	42	90	690	30	001640
649528	28	44	44	90	720	30	001760
649529	29	45	44	90	750	30	001760
649530	30	46	44	90	760	30	001875
649532	32	48	44	90	790	30	001935
649533	33	50	44	90	820	30	001995
649534	34	51	44	90	850	30	002075
649535	35	52	44	90	880	30	002155
649536	36	53	44	90	880	30	002260
649538	38	56	44	90	900	30	002340
649540	40	59	44	90	960	10	002890
649541	41	60	44	90	1000	10	003415
649542	42	61	44	80	1050	10	003675
649543	43	62	44	90	1100	10	003675
649545	45	65	44	95	1200	10	003940
649546	46	66	44	95	1200	10	004465
649548	48	68	44	100	1300	10	004935
649550	50	71	44	100	1300	10	004935

* Please order in accordance with the exact numbers in standard packages

DEEP IMPACT SOCKET ACCESSORIES

Extension Bars

3/4"



Stock No.	Length mm	g	PCS	Code
640100	100	600	20	002205
640150	150	700	12	002435
640200	200	8800	10	002565
640250	250	1060	10	002695

Adaptors



Stock No.	Female Sq. Dr.	Male Sq. Dr.	Length mm	g	PCS	Code
640604	3/4"	1/2"	53	240	50	000940
640608	3/4"	1"	65	320	30	001090

Impact Universal Joint







Stock No.	Outside Diameter	Length mm	g	PCS	Code
640606	44	110	680	12	004385

This universal joint, like any universal joint, will break if is used improperly or if too much torque is applied.

IMPACT SOCKETS

1"

Made of Chrome Molybdenum Steel



Inch Sizes - 6 PT

Stock No.	A Size	D1 mm	D2 mm	L mm	g	PCS	Code
867026	13/16	37	50	60	550	30	001550
867028	7/8	39	50	60	560	30	001550
867030	15/16	41	50	60	570	30	001550
867032	1	43	50	60	570	30	001550
867034	1 1/16	45	50	60	580	30	001550
867036	1 1/8	47	50	60	600	30	001550
867038	1 3/16	49	50	62	620	30	001550
867040	1 1/4	52	52	63	660	30	001655
867042	1 5/16	53	53	63	680	30	001710
867044	1 3/8	55	52	63	710	30	001815
867046	1 7/16	57	54	67	730	20	001970
867048	1 1/2	59	54	67	710	20	001970
867050	1 9/16	61	54	67	750	20	002100
867052	1 5/8	63	54	70	930	20	002285
867054	1 11/16	65	54	70	980	20	002625
867056	1 3/4	67	54	70	1050	20	002890
867058	1 13/16	69	54	76	1210	20	003150
867060	1 7/8	71	54	76	1260	10	003675
867062	1 15/16	73	54	76	1300	10	003940
867064	2	75	54	82	1430	10	004200
867066	2 1/16	76	54	82	1430	10	004465
867068	2 1/8	79	54	82	1550	10	004465
867070	2 3/16	80	55	87	1620	10	004725
867072	2 1/4	83	57	87	1670	10	004990
867074	2 5/16	85	57	87	1800	10	005775
867076	2 3/8	86	60	91	1900	6	006300
867080	2 1/2	90	60	91	2000	6	006825
867084	2 5/8	95	65	95	2400	6	008400
867088	2 3/4	99	70	100	2500	6	010500
867090	2 13/16	100	70	100	2600	6	012075
867094	2 15/16	105	70	105	2800	6	013650
867096	3	106	70	105	2900	3	015225
867100	3 1/8	111	80	105	2900	3	016800
867108	3 3/8	118	86	110	3200	3	019950
867112	3 1/2	124	86	110	3800	3	023625

Inch Sizes - 6 PT

IMPA	Stock No.	A Size	D1 mm	D2 mm	L mm	g	PCS	Code
590248	847021	21	38	50	60	550	30	001550
590249	847022	22	39	50	60	560	30	001550
590250	847023	23	40	50	60	560	30	001550
590251	847024	24	41	50	60	570	30	001550
	847025	25	43	50	60	570	30	001550
590252	847026	26	44	50	60	580	30	001550
590253	847027	27	45	50	60	580	30	001550
	847028	28	46	50	60	590	30	001550
590254	847029	29	48	50	60	600	30	001550
590255	847030	30	49	50	62	620	30	001550
590256	847032	32	52	52	63	660	30	001655
	847033	33	53	53	63	680	30	001710
	847034	34	54	54	63	710	30	001760
590257	847035	35	55	52	63	710	30	001815
590258	847036	36	56	53	67	730	20	001865
590259	847038	38	59	54	67	740	20	001970
	847040	40	61	54	67	750	20	002100
590260	847041	41	63	54	70	930	20	002285
	847043	43	65	54	70	980	20	002625
590261	847046	46	69	54	76	1210	20	003150
	847048	48	71	54	76	1260	10	003675
590262	847050	50	74	54	82	1370	10	003940
	847052	52	75	54	82	1430	10	004200
	847054	54	79	54	82	1550	10	004465
590263	847055	55	80	55	87	1620	10	004725
	847057	57	83	57	87	1670	10	004990
590264	847058	58	84	57	87	1750	10	005250
	847059	59	85	57	87	1800	10	005775
590265	847060	60	86	60	91	1900	6	006300
590266	847063	63	90	60	91	2000	6	006825
	847065	65	93	65	95	2400	6	007875
	847070	70	99	70	100	2500	6	010500
	847075	75	105	70	105	2800	6	013650
	847080	80	111	80	105	2900	6	016800
	847085	85	118	86	110	3200	3	019950
	847090	90	124	86	110	3800	3	023625
	847095	95	128	86	110	4000	3	

* Please order in accordance with the exact numbers in standard packages

DEEP IMPACT SOCKETS

1"

Made of Chrome Molybdenum Steel



Metric Sizes - 6 PT

Stock No.	A Size	D1 mm	D2 mm	L mm	g	PCS	Code
849519	19	35	50	90	800	20	002205
849521	21	38	50	90	800	20	002205
849522	22	39	50	90	800	20	002205
849523	23	40	50	90	840	20	002205
849524	24	42	50	90	840	20	002205
849525	25	43	50	90	860	20	002205
849526	26	44	50	90	890	20	002205
849527	27	45	50	90	890	20	002205
849528	28	47	50	90	900	20	002285
849529	29	48	50	90	900	20	002285
849530	30	49	50	90	930	20	002285
849532	32	52	52	90	950	20	002285
849533	33	53	53	90	950	10	002550
849534	34	54	54	90	1000	10	002680
849535	35	55	52	90	1050	10	002785
849536	36	56	53	90	1050	10	002940
849538	38	59	54	90	1190	10	003150
849541	41	63	54	90	1220	10	003415
849543	43	65	54	90	1270	10	003675
849546	46	69	54	100	1500	10	004200
849548	48	72	54	100	1570	10	004725
849550	50	74	54	100	1600	10	005250
849552	52	77	54	100	1700	6	005515
849554	54	79	54	100	1750	6	005775
849555	55	80	55	110	1950	6	006040
849557	57	83	57	110	2000	6	006300
849558	58	84	57	110	2050	6	006565
849559	59	85	57	110	2100	6	006825
849560	60	87	60	110	2150	6	007350
849563	63	90	60	120	2400	6	008140
849565	65	93	65	120	2640	6	009190
849570	70	99	70	125	3000	6	012075

* Please order in accordance with the exact numbers in standard packages

DEEP IMPACT SOCKET ACCESSORIES

Made of Chrome Molybdenum Steel

1"

Extension Bars



Stock No.	Length mm	g	PCS	Code
840150	150	1170	12	004095
841064	200	1520	12	004675
840250	250	1880	6	006300

Adaptors



Stock No.	Female Sq. Dr.	Male Sq. Dr.	Length mm	g	PCS	Code
841006	1"	3/4"	70	540	30	001965
841012	1"	1 1/2"	80	720	30	001965

Please use proper caution when using the product

Impact Universal Joint



Stock. No	Outside Diameter	Length mm	g	PCS	Code
840808	52	130	1150	20	005840



This universal joint, like any universal joint, will break if is used improperly or if too much torque is applied.

HAND TOOLS

Intool

DR. REGULAR LENGTH IMPACT SOCKET

1 1/2"



Metric Sizes - 6 PT


IMPA	Part No.	Size mm	D1 mm	D2 mm	L mm
	D121 - 30 M	30	54	86	67
	D121 - 32 M	32	54	86	67
	D121 - 36 M	36	62	86	78
	D121 - 41 M	41	68	86	80
590267	D121 - 46 M	46	74	86	84
590268	D121 - 50 M	50	79	86	84
	D121 - 52 M	52	82	86	84
590269	D121 - 54 M	54	84	86	84
590270	D121 - 55 M	55	86	86	90
590271	D121 - 58 M	58	88	86	90
590272	D121 - 60 M	60	92	86	90
590274	D121 - 65 M	65	97	86	95
590276	D121 - 70 M	70	103	86	100
590278	D121 - 75 M	75	108	86	105
590280	D121 - 80 M	80	115	86	110
590281	D121 - 85 M	85	122	86	110
590282	D121 - 90 M	90	128	86	112
590283	D121 - 95 M	95	135	86	112
590284	D121 - 00 M	100	140	86	115
590285	D121 - 10 5	105	146	86	120
590286	D121 - 11 0	110	153	86	124
590287	D121 - 11 5	115	160	86	128
	D121 - 12 0	120	166	86	132
	D121 - 12 5	125	173	86	136
	D121 - 13 0	130	180	86	140
	D121 - 13 5	135	186	86	145
	D121 - 14 0	140	190	86	150
	D121 - 14 5	145	196	86	150
	D121 - 15 0	150	200	86	155

* Please order in accordance with the exact numbers in standard packages

DR. REGULAR LENGTH IMPACT SOCKET ACCESSORIES

1 1/2"


Adaptors



D12A

Part No.	Size	D (mm)	L (mm)
D12A - 16 M	1" MALE	86	100
D12A - 40 M	2 1/2" MALE	86	120


Universal Joint



D12U

Part No.	Size	D (mm)	L (mm)
D12U - 24 M	1 1/2"	86	182

Extension Bar



D12E

Part No.	Size	D (mm)	L (mm)
D12E - 10 M	10"	86	250
D12E - 15 M	15"	86	380
D12E - 20 M	20"	86	500

O-Ring



0100

Part No.	M.M Size	Inch Size	D (mm)
0100 - 75 R	30 - 130	1 3/16	10.0

Pin P060

Part No.	M.M Size	Inch Size	D (mm)
P060 - 75 N	30 - 130	1 3/16	6.0